

R B medikal

Electro Surgical Instruments

HIGH
FREQUENCY
INNOVATION

www.rbmedikal.com

PRODUCTS CATALOG
Complete Range of Electrosurgical Instruments



Highest Quality Electrosurgical Instruments

European Bipolar Forceps

High Frequency Innovation

2

McPherson (Str.)

L= 9.0 cm

Tip 0.5 mm



10-001-05

McPherson (crv.)

L= 11.5 cm

Tip 0.5 mm



10-002-05

Jeweler # 5

L= 11.5 cm

Tip 0.5 mm



10-003-05

Adson

L= 12.1 cm

Tip 1.0 mm



10-006-10

Jeweler # 4

L= 11.5 cm

Tip 0.5 mm



10-007-05

Jeweler # 7

L= 11.5 cm

Tip 0.5 mm



10-008-05

Coaptation

L= 10.8 cm








Tip 0.5 mm



10-009-05

European Bipolar Forceps








High Frequency Innovation

Coaptation Nadler		10-010-05
L= 10.2 cm		
Tip 0.5 mm		
Iris (Str.)		10-011-05
L= 10.2 cm		
Tip 0.5 mm		
Iris (crv.)		10-012-10
L= 10.8 cm		
Tip 1.0 mm		
Straight		10-016-10
L= 16.0 cm		
Tip 1.0 mm		
Straight		10-018-10
L= 18.0 cm		
Tip 1.0 mm		
Straight		10-020-10
L= 20.0 cm		
Tip 1.0 mm		
Straight		10-022-10
L= 22.0 cm		
Tip 1.0 mm		

European Bipolar Forceps

High Frequency Innovation

4

<p>Straight (Ang.)</p> <p>L= 16.0 cm</p> <p>Tip 1.0 mm</p>		10-026-10
<p>Straight (Ang.)</p> <p>L= 18.0 cm</p> <p>Tip 1.0 mm</p>		10-028-10
<p>Straight (Ang.)</p> <p>L= 20.0 cm</p> <p>Tip 1.0 mm</p>		10-030-10
<p>Straight (Ang.)</p> <p>L= 22.0 cm</p> <p>Tip 1.0 mm</p>		10-032-10
<p>Bayonet</p> <p>L= 16.0 cm</p> <p>Tip 1.0 mm</p>		10-036-10
<p>Bayonet</p> <p>L= 18.0 cm</p> <p>Tip 1.0 mm</p>		10-038-10
<p>Bayonet</p> <p>L= 20.0 cm</p> <p>Tip 1.0 mm</p>		10-040-10

European Bipolar Forceps

High Frequency Innovation

Bayonet (Ang.Up)

L= 16.0 cm

Tip 1.0 mm



10-046-10

Bayonet (Ang.Up)

L= 18.0 cm

Tip 1.0 mm



10-048-10

Bayonet (Ang.Up)

L= 20.0 cm

Tip 1.0 mm



10-050-10

Bayonet (Ang.Down)

L= 16.0 cm

Tip 1.0 mm



10-056-10

Bayonet (Ang.Up)

L= 18.0 cm

Tip 1.0 mm



10-058-10

Bayonet (Ang.Up)

L= 20.0 cm

Tip 1.0 mm



10-060-10

McPherson (Str.)

L= 9.0 cm

Tip 0.5 mm







101-001-05

European Bipolar Forceps








High Frequency Innovation

6

McPherson (crv.) L= 11.5 cm Tip 0.5 mm		101-002-05
Jeweler # 5 L= 11.5 cm Tip 0.5 mm		101-003-05
Jeweler # 5 L= 11.5 cm Tip 0.5 mm		101-003-05
Jeweler # 7 L= 11.5 cm Tip 0.5 mm		101-008-05
Adson L= 12.1 cm Tip 1.0 mm		101-006-10
Straight L= 16.0 cm Tip 1.0 mm		101-016-10
Straight L= 18.0 cm Tip 1.0 mm		101-018-10

European Bipolar Forceps

High Frequency Innovation

Straight		101-020-10
L= 20.0 cm		
Tip 1.0 mm		
Straight		101-022-10
L= 22.0 cm		
Tip 1.0 mm		
Straight (Ang.)		101-026-10
L= 16.0 cm		
Tip 1.0 mm		
Straight (Ang.)		101-028-10
L= 18.0 cm		
Tip 1.0 mm		
Straight (Ang.)		101-030-10
L= 20.0 cm		
Tip 1.0 mm		
Bayonet		101-036-10
L= 16.0 cm		
Tip 1.0 mm		
Bayonet		101-038-10
L= 18.0 cm		
Tip 1.0 mm		

European Bipolar Forceps

High Frequency Innovation

8

Bayonet		101-040-10
L= 22.0 cm		
Tip 1.0 mm		

Bayonet (Ang.Up)		101-046-10
L= 16.0 cm		
Tip 1.0 mm		

Bayonet (Ang.Up)		101-048-10
L= 18.0 cm		
Tip 1.0 mm		

Bayonet (Ang.Up)		101-050-10
L= 20.0 cm		
Tip 1.0 mm		

Bayonet (Ang.Down)		101-056-10
L= 16.0 cm		
Tip 1.0 mm		

Bayonet (Ang.Up)		101-058-10
L= 18.0 cm		
Tip 1.0 mm		

Bayonet (Ang.Up)		101-060-10
L= 20.0 cm		
Tip 1.0 mm		

European Irrigation Bipolar Forceps

High Frequency Innovation

Straight
L= 16.0 cm
Tip 1.0 mm



101-016-10 IR

Straight
L= 20.0 cm
Tip 1.0 mm



101-020-10 IR

Bayonet
L= 16.0 cm
Tip 1.0 mm



101-036-10 IR

Bayonet
L= 20.0 cm
Tip 1.0 mm



101-040-10 IR

European Non-Stick Bipolar Forceps

High Frequency Innovation

10

McPherson (Str.)

L= 9.0 cm

Tip 0.5 mm



10-001-05 NS

McPherson (crv.)

L= 11.5 cm

Tip 0.5 mm



10-002-05 NS

Jeweler # 5

L= 11.5 cm

Tip 0.5 mm



10-003-05 NS

Adson

L= 12.1 cm

Tip 1.0 mm



10-006-10 NS

Jeweler # 4

L= 11.5 cm

Tip 0.5 mm



10-007-05 NS

Jeweler # 7

L= 11.5 cm

Tip 0.5 mm



10-008-05 NS

Coaptation

L= 10.8 cm








Tip 0.5 mm



10-009-05 NS

European Non-Stick Bipolar Forceps

High Frequency Innovation

Coaptation Nadler		10-010-05 NS
L= 10.2 cm		
Tip 0.5 mm		
Iris (Str.)		10-011-10 NS
L= 10.8 cm		
Tip 0.5 mm		
Iris (crv.)		10-012-10 NS
L= 10.8 cm		
Tip 1.0 mm		
Straight		10-018-10 NS
L= 18.0 cm		
Tip 1.0 mm		
Straight		10-019-10 NS
L= 20.0 cm		
Tip 1.0 mm		
Straight		10-020-10 NS
L= 20.0 cm		
Tip 1.0 mm		
Straight		10-022-10 NS
L= 22.0 cm		
Tip 1.0 mm		

European Non-Stick Bipolar Forceps

High Frequency Innovation

12

Straight (Ang.)

L= 16.0 cm

Tip 1.0 mm




10-026-10 NS

Straight (Ang.)

L= 18.5 cm

Tip 1.0 mm



10-028-10 NS

Straight (Ang.)

L= 20.0 cm

Tip 1.0 mm



10-030-10 NS

Straight (Ang.)

L= 22.0 cm

Tip 1.0 mm



10-032-10 NS

Bayonet

L= 16.0 cm

Tip 1.0 mm



10-036-10 NS

Bayonet

L= 18.0 cm

Tip 1.0 mm



10-038-10 NS

Bayonet

L= 20.0 cm

Tip 1.0 mm



10-040-10 NS

European Non-Stick Bipolar Forceps

High Frequency Innovation

Bayonet (Ang.Up)

L= 16.0 cm

Tip 1.0 mm



10-046-10 NS

Bayonet (Ang.Up)

L= 18.0 cm

Tip 1.0 mm



10-048-10 NS

Bayonet (Ang.Up)

L= 20.0 cm

Tip 1.0 mm



10-050-10 NS

Bayonet (Ang.Down)

L= 16.0 cm

Tip 1.0 mm



10-056-10 NS

Bayonet (Ang.Up)

L= 18.0 cm

Tip 1.0 mm



10-058-10 NS

Bayonet (Ang.Up)

L= 20.0 cm

Tip 1.0 mm



10-060-10 NS

USA 2 Pin Bipolar Forceps

High Frequency Innovation

14

McPherson (Str.)

L= 9.0 cm

Tip 0.5 mm



08-001-05

McPherson (Crv.)

L= 9.0 cm

Tip 0.5 mm



08-002-05

Coaptation Nadler

L= 10.8 cm

Tip 0.5 mm



08-003-05

Coaptation

L= 10.8 cm

Tip 0.5 mm



08-004-05

Jeweler # 5

L= 11.0 cm

Tip 0.5 mm



08-005-05

Jeweler # 4

L= 11.5 cm

Tip 0.5 mm



08-006-05

Tenzel

L= 11.5 cm








Tip 0.5 mm



08-007-05

USA 2 Pin Bipolar Forceps

High Frequency Innovation

Jeweler # 7		08-008-05
L= 11.5 cm		
Tip 0.5 mm		
Iris (Str.)		08-009-10
L= 10.8 cm		
Tip 0.5 mm		
Iris (Crv.)		08-010-10
L= 10.8 cm		
Tip 1.0 mm		
Adson		08-011-10
L= 12.1 cm		
Tip 1.0 mm		
Semkin		08-012-10
L= 14.0 cm		
Tip 1.0 mm		
Cushing		08-013-10
L= 16.0 cm		
Tip 1.0 mm		
Cushing		08-014-10
L= 11.5 cm		
Tip 1.0 mm		

USA 2 Pin Bipolar Forceps

High Frequency Innovation

16

Cushing (Gursh)

L= 18.0 cm

Tip 1.0 mm



08--018-10

Gerald (Str)

L= 17.8 cm

Tip 1.0 mm



08--019-10

Gerald (Crv)

L= 17.8 cm

Tip 1.0 mm



08--020-10

Gerald Bayonet

L= 17.8 cm

Tip 1.0 mm



08--021-10

Jansen Bayonet

L= 15.0 cm

Tip 1.0 mm



08--027-10

Jansen Bayonet

L= 18.0 cm

Tip 1.0 mm



08--028-10

Malis

L= 17.8 cm

Tip 1.0 mm



08--026-10

USA 2 Pin Bipolar Forceps

High Frequency Innovation

Scollive Green-Wood

L= 19.1 cm

Tip 1.5 mm



08-025-15

Yasargil

L= 19.8 cm

Tip 1.0 mm



08-022-10

Hardy Bayonet

L= 12.5 cm

Tip 1.0 mm



08-032-10

Hardy Bayonet (Ang)

L= 21.5 cm

Tip 1.0 mm



08-033-10

USA 2-Pin Non-Stick Bipolar Forceps

High Frequency Innovation

18

McPherson (Str.)		08-001-05 NS
L= 9.0 cm		
Tip 0.5 mm		
McPherson (Crv.)		08-002-05 NS
L=9.0 cm		
Tip 0.5 mm		
Jeweler # 5		08-005-05 NS
L=11.5 cm		
Tip 0.5 mm		
Jeweler # 4		08-006-05 NS
L=11.5 cm		
Tip 0.5 mm		
Adson		08-011-10 NS
L=12.1 cm		
Tips 1.0 mm		
Semkin		08-012-10 NS
L=14.0 cm		
Tips 1.0 mm		
Cushing		08-013-10 NS
L=16.0 cm		
Tip 1.0 mm		
Cushing		08-014-10 NS
L=18.0 cm		
Tip 1.0 mm		

USA 2-Pin Non-Stick Bipolar Forceps

High Frequency Innovation

Gerald Bayonet

L=17.8 cm

Tip 1.0 mm



08-021-10 NS

Jansen Bayonet

L=18.0 cm

Tip 1.0 mm



08-028-10 NS

Scollive Green-Wood

L=19.1 cm

Tip 1.5 mm



08-025-15 NS

Yasargil

L=19.8 cm

Tip 1.0 mm



08-022-10 NS

Hardy Bayonet

L=21.5 cm

Tip 1.0 mm



08-032-10 NS

European Irrigation Bipolar Forceps

High Frequency Innovation

20

Bayonet Forceps
Irrigation



11-036-IR

Bayonet Forceps
Irrigation



11-040-IR

Straight Forceps
Irrigation



11-020-IR









Straight Forceps
Irrigation



11-014-IR

SilverGlide Non-Stick Bipolar Forceps

High Frequency Innovation

McPherson (Str.)		08-001-05FNS
L= 9.0 cm		
Tip 0.5 mm		
McPherson (Crv.)		08-002-05FNS
L= 9.0 cm		
Tip 0.5 mm		
Jeweler # 5		08-005-05FNS
L= 11.5 cm		
Tip 0.5 mm		
Adson		08-011-10FNS
L= 12.1 cm		
Tip 1.0 mm		
Cushing (Str.)		08-016-10FNS
L= 16.0 cm		
Tip 1.0 mm		
Jansen Bayonet		08-028-10FNS
L= 18.0 cm		
Tip 1.0 mm		
Jansen Bayonet		08-030-10FNS
L= 20.0 cm		
Tip 1.0 mm		
Bayonet Full Non-Stick		30-036-10FNS
L= 16.0 cm		
Tip 1.0 mm		

SilverGlide Non-Stick Bipolar Forceps

High Frequency Innovation

22

Bayonet Full Non-Stick

L= 18.0 cm

Tip 1.0 mm



30-038-10FNS

Bayonet Full Non-Stick

L= 20.0 cm

Tip 1.0 mm



30-040-10FNS

Bayonet Full Non-Stick

L= 22.0 cm

Tip 1.0 mm



30-042-10FNS

Bayonet (Irrigation)

L= 20.0 cm

Tip 1.0 mm



10-040-10FNS IR

Bayonet (Irrigation)

L= 22.0 cm

Tip 1.0 mm



10-042-10FNS IR

Bayonet Full Non-Stick

L= 22.0 cm

Tip 1.0 mm



10-042-10FNS

Bayonet Full Non-Stick

L= 22.0 cm

Tip 0.5 mm



48-022-05 FNS

Bayonet Full Non-Stick

L= 24.0 cm

Tip 1.0 mm



58-024-10 FNS

SilverGlide Non-Stick Bipolar Forceps

High Frequency Innovation

Jeweler # 5		10-005-05FNS
L= 11.5 cm		
Tip 0.5 mm		

Jeweler # 5		10-006-05FNS
L= 11.5 cm		
Tip 0.5 mm		

Straight Full Non-Stick		10-012-10FNS
L= 12.0 cm		
Tip 1.0 mm		

Straight (Ang.)		10-026-10FNS
L= 16.0 cm		
Tip 1.0 mm		

Bayonet Full Non-Stick		10-038-10FNS
L= 18.0 cm		
Tip 1.0 mm		

Bayonet Full Non-Stick		10-040-15FNS
L= 20.0 cm		
Tip 1.5 mm		

Bayonet Full Non-Stick		10-042-15FNS
L= 22.0 cm		
Tip 1.5 mm		

Bayonet Full Non-Stick		10-044-10FNS
L= 22.0 cm		
Tip 1.0 mm		

Single Use USA 2-Pin Bipolar Forceps

High Frequency Innovation

24

Gerald Straight

Single Use



08-019S

Jansen Bayonet

Irrigation



08-028 IRS

Jansen Bayonet

Single Use



08-030S

Jeweler # 5

Single Use



08-005S

Adson Forceps

Single Use



08-011S

Cushing Forceps

Size: 16.0 cm

Tip: 1.0 mm



08-016S

Jansen Bayonet ang-up

Size: 20.0 cm

Tip: 1.0 mm



08-042S

Single Use USA 2-Pin Bipolar Forceps

High Frequency Innovation

Jansen Bayonet

Size: 18.0 cm

Tip: 1.0 mm



08-028S

Jeweler # 4

Size: 11.5 cm

Tip: 0.5 mm



08-004S

Adson Forceps

Size: 12.1 cm

Tip: 1.0 mm



18-011S

Jansen Bayonet

Size: 18.0 cm

Tip: 1.0 mm



18-028S

Jansen Bayonet

Size: 20.0 cm

Tip: 1.0 mm



18-030S

Single Use European Bipolar Forceps

High Frequency Innovation

26

Bayonet Forceps

Size: 18.0 cm

Tip: 1.0 mm



10-038S

Bayonet Forceps

Size: 20.0 cm

Tip: 1.0 mm




10-040S

Straging Forceps

Size: 20.0 cm

Tip: 1.0 mm



10-020S

Straight Forceps (ang)

Size: 14.0 cm

Tip: 1.0 mm



10-024S

Straight Forceps

Size: 14.0 cm

Tip: 1.0 mm



10-014S

Single Use USA 2-Pin Bipolar Forceps

High Frequency Innovation

Jeweler # 5

Single Use



10-003S

27

Straight Forceps

Single Use



10-020S

Bayonet Forceps

Single Use



10-040S

Straight Forceps

Single Use



10-019S

Straight Forceps (ang)

Single Use



10-030S

Monopolar Cables

High Frequency Innovation

28



**Silicone Monopolar Cables 10" (3.0m)
RB-1501**

Instrument Connector: Screw Type
Generator Connector: Standard Bovie 8.0mm Plug
Compatibility: Valleylab, Conmed, Bovie



**Silicone Monopolar Cables 10" (3.0m)
RB-1502**

Instrument Connector: 4.0mm Male Fitting
Generator Connector: Standard 4.0mm Banana Plug
Compatibility: Valleylab, Conmed & All ES Generators



**Silicone Monopolar Endoscopic Cable 10" (3.0m)
RB-1503**

Instrument Connector: 4.0mm Female Plug
Generator Connector: Standard Bovie 8.0mm Plug
Compatibility: Valleylab, Conmed, Bovie



**Silicone Monopolar Endoscopic Cable 10" (3.0m)
RB-1504**

Instrument Connector: 4.0mm Female Plug
Generator Connector: Standard 4.0mm Banana Plug
Compatibility: Valleylab, Conmed & All ES Generators



**Silicone Diathermy Cable 10" (3.0m)
RB-1505**

Instrument Connector: 4.8mm Male Fitting
Generator Connector: Standard Bovie 8.0mm Plug
Compatibility: Valleylab, Conmed, Bovie



**Silicone Diathermy Cable 10" (3.0m)
RB-1506**


Instrument Connector: 4.8mm Male Fitting
Generator Connector: Standard 4.0mm Banana Plug
Compatibility: Valleylab, Conmed & All ES Generators

Bipolar Forceps Cables

High Frequency Innovation



Silicone Bipolar Cables 10'' (3.0m)
RB 2501
Instrument Connector: USA 2-Pin Plug
Generator Connector: 4.0mm Banana Plug
Compatibility: Valleylab, Conmed, Codman, Olympus and Mbst Bipolar Generator



Silicone Bipolar Cables 10'' (3.0m)
RB 2502
Instrument Connector: European Flat Plug
Generator Connector: Martin Type
Compatibility: Aesculap, Martin, Wolf, Berchold



Silicone Bipolar Cables 10'' (3.0m)
RB 2503
Instrument Connector: European Flat Plug
Generator Connector: 4.0mm Banana Plug
Compatibility: Valleylab, Conmed, Codman, Olympus & Mbst Bipolar Generator



Silicone Bipolar Cables 10'' (3.0m)
RB 2504
Instrument Connector: USA2-Pin Plug
Generator Connector: Martin Type
Compatibility: Aesculap, Martin, Wolf, Berchold



Silicone Bipolar Cables 10'' (3.0m)
RB 2505
Instrument Connector: USA2-Pin Plug
Generator Connector: Erbe Type
Compatibility: Eibe, Siemens, Downs



Silicone Bipolar Cables 10'' (3.0m)
RB 2506
Instrument Connector: USA2-Pin Plug
Generator Connector: Pin Distance 29.0mm
Compatibility: Valleylab, EMS, Dolley


Silicone Bipolar Cables 10'' (3.0m)
RB 2507
Instrument Connector: European Flat Plug
Generator Connector: Pin Distance 29.0mm
Compatibility: Valleylab, EMS, Dolley



Diathermy Instruments

High Frequency Innovation


30



**Turnur Warwick Scissor
(Straight)**
RB-05-001




**Turnur Warwick Scissor
(Curved)**
RB-05-002



**Surgical Scissor
(Straight)**
RB-05-011



**Surgical Scissor
(Curved)**
RB-05-012



Abbey Sub Needle
17.5cm
RB-05-015




**Willson Hey Forceps
(Straight)**
RB-05-020

**Richie Forceps
(Straight)**
RB-05-038



**Willson Hey Forceps
(Curved)**
RB-05-022



**Artery Forceps
(Straight)**
RB-05-026



**Artery Forceps
(Curved)**
RB-05-028



Diathermy Instruments

High Frequency Innovation

Adson



RB-06-001

Mcldone



RB-06-002

Gillie



RB-06-003

Dissecting Forceps



RB-06-004

Gerald (1x2)



RB-06-005

Adson Bayonet



RB-06-006

Adson Bayonet

Angle Up



RB-06-016

Remington Hob



RB-06-019

Bipolar Artery Sealer

High Frequency Innovation

32



Artery Forceps Bi-Clamp

RB-18-004-25



Artery Forceps Non Stick

RB-18-006-25



Artery Forceps

RB-17-004-25



Artery Forceps

RB-17-001-25

Silicone Bi-Clamp Connecting cord



Bipolar Electrodes

High Frequency Innovation



Straight

RB-14-001



Angled

RB-14-002



Angled

RB-14-003



Angled 45°

RB-14-004



Angled 90°

RB-14-005

33



Bi-Turbinate Probe

Size: 17.5cm

RB-14-028

Electrodes 2.4mm

High Frequency Innovation

34



Blade Electrode
Disposable: 03-001



Ball Electrode (3.0 mm)
Disposable: 03-007




Circle Loop Electrode 4.0 mm
Reusable: 04-001



Blade Electrode (crv.)
Disposable: 03-002



Ball Electrode (crv.) (3.0 mm)
Disposable: 03-008



Circle Loop Electrode 4.0 mm
Reusable: 04-001



Needle Electrode
Disposable: 03-003



Ball Electrode (4.0 mm)
Disposable: 03-009




Circle Loop Electrode 8.0 mm
Reusable: 04-003



Needle Electrode (crv.)
Disposable: 03-004



Ball Electrode (crv.) (4.0 mm)
Disposable: 03-010



Diamond Electrode 8.0 mm
Reusable: 04-002



Ball Electrode (2.0 mm)
Disposable: 03-005



Ball Electrode (5.0 mm)
Disposable: 04-011



Ball Electrode (crv.) (2.0 mm)
Disposable: 03-006



Ball Electrode (crv.) (5.0 mm)
Disposable: 03-012



Tip Cleaner 03-35

Holster 03-38



Blade Electrode (Shaft 13.0 cm)
Disposable: 03-013




Blade Electrode (Shaft 13.0 cm)
Disposable: 03-015



Blade Electrode (Shaft 13.0 cm)
Disposable: 03-017



Blade Electrode (Shaft 13.0 cm)
Disposable: 03-023




Coagulation Electrode
Disposable: 03-025


Conization Electrodes

High Frequency Innovation

35




Conization Electrode
Disposable #03-026




Conization Electrode
Disposable #03-027



Conization Electrode
Disposable #03-029



Conization Electrode
Disposable #03-030



Conization Electrode
Disposable #03-030



Extender Electrode
03-032 Size: 7.0 cm



Extender Electrode
#03-033 Size:13.0 cm



Extender Electrode #03-034 Size:18.0 cm

Electrodes 4.0mm

High Frequency Innovation

36



Blade Electrode
Reusable 20-001



Ball Electrode
Reusable 20-007



Blade Electrode (Crv)
Reusable 20-002



Ball Electrode (Crv) 3mm
Reusable 20-008



Needle Electrode
Reusable 20-003



Ball Electrode (4mm)
Reusable 20-009



Needle Electrode (Crv)
Reusable 20-004



Ball Electrode (Crv) (4mm)
Reusable 20-010



Ball Electrode (2mm)
Reusable 20-005



Ball Electrode (5mm)
Reusable 20-011



Ball Electrode (Crv) (2mm)
Reusable 20-006



Ball Electrode (Crv) (5mm)
Reusable 20-012



Blade Electrode (Shaft 13.0cm)
Reusable 20-018



Needle Electrode (Shaft 13.0cm)
Reusable 20-019



Ball Electrode 3mm (Shaft 13.0 cm)
Reusable 20-020



Ball Electrode 4mm (Shaft 13.0cm)
Reusable 20-021



Ball Electrode 5mm (Shaft 13.0cm)
Reusable 20-022



Round Loop Electrode (7.0cm) 4.0mm
Reusable 20-013



Round Loop Electrode (7.0cm) 6.0mm
Reusable 20-014



Round Loop Electrode (7.0cm) 8.0mm
Reusable 20-015



Round Loop Electrode (7.0cm) 10.0mm
Reusable 20-016




Plate Electrode Small
Reusable 20-017





Plate Electrode Large
Reusable 20-017

Patient Return Plate Reusable
5m Cable #25-001



Patient Return Plate Reusable
(5m Cable) 25-002



Patient Return Cable
25-006-a (5m cable)
25-006-b (3m Cable)

Patient Return Cable
25-007-a (5m cable)
25-007-b (3m Cable)



S.S Patient Return Plate
(16x12cm)25-003

38

WITHOUT SUCTION



15-001 L-Hook Electrode (36cm)



15-002 J-Hook Electrode (36cm)



15-003 Needle-Hook Electrode (36cm)



15-004 Spatula-Hook Electrode (36cm)



15-005 Ball-Hook Electrode (36cm)

WITH SUCTION



15-006 L-Hook Electrode (Irrigation) (36cm)



15-007 J-Hook Electrode (Irrigation) (36cm)



15-008 Needle-Hook Electrode (Irrigation) (36cm)




15-009 Spatula-Hook Electrode (Irrigation) (36cm)



15-010 Ball-Hook Electrode (Irrigation) (36cm)

Laparoscopic Electrodes





Graves Vaginal Speculum
with smoke evacuation tube
Small: 21-001
Medium: 21-002
Large: 21-003



VU-Max Speculum
with smoke evacuation tube
Small: 21-011
Medium: 21-012
Large: 21-013



Pederson Vaginal Speculum
with smoke evacuation tube
Small: 21-041
Medium: 21-042
Large: 21-043



VU-More (Graves) Speculum
with smoke evacuation tube
Small: 21-031
Medium: 21-032
Large: 21-033

Cusco Speculum
with smoke evacuation tube
Small: 21-021
Medium: 21-022
Large: 21-023



Collin Speculum
with smoke evacuation tube
Small: 21-051
Medium: 21-052
Large: 21-053



40



**Weisman Speculum
with Suction (Left Open)**
Small: 21-061
Medium: 21-062
Large: 21-063



**Weisman Speculum
with Suction (Right Open)**
Small: 21-071
Medium: 21-072
Large: 21-073



Dressing Forceps
23-001 (21.0 cm)
23-001 (25.0 cm)



Tissue Forceps
23-003 (21.0 cm)
23-004 (25.0 cm)



Iris Hook
23-005 (25.0 cm)




Emmet Hook
23-006 (25.0 cm)



Straight Hook
23-007 (25.0 cm)



Two-Prong Hook
23-008 (25.0 cm)



Three-Prong Hook
23-009 (25.0 cm)

Electrosurgical Instruments for Gynecology

High Frequency Innovation



Lateral Vaginal
Retractor - #22-001



Kogan Endocervical
Speculum - #22-003



Lateral Vaginal Retractor
(wide-Open) #22-006



Rigby Retractor
22-007



Rigby Retractor
22-005



3mm 130-133



4mm 130-134



3mm 130-133

42



**Kogan Endocervical
Speculum**

RB #25-003



**Lateral Vaginal
Retractor**

RB #25-001



**Graves Speculum
with smoking evacuation tube**

**Small: 21-001
Medium: 21-002
Large: 21-003**



**Pederson Graves Speculum
with smoking evacuation tube**

**Small: 21-001
Medium: 21-002
Large: 21-003**

**Collin Speculum
with smoking evacuation tube**

**Small: 24-051
Medium: 24-052
Large: 24-053**




Certifications & Memberships

High Frequency Innovation



**HIGH
FREQUENCY
INNOVATION**



RB Medikal Instruments

Small Industrial State, Fateh Garh,
Near Umer Town, Sialkot-51310 PAKISTAN.

Tel: +92 52 3552898 / Fax: +92 52 3 576055

Email: rbmedikal@brain.net.pk / rbmedikal@gmail.com / rbmedikal@live.com

URL: www.rbmedikal.com



Whatsapp



WeChat

0092-333-8619610