

**HIGH
FREQUENCY
INNOVATION**
WWW.RBMEDIKAL.COM




Single-use bipolar forceps - high-quality economical solution

- high profile ribbing for work without tiredness
- Safe precise grasping and manipulation of tissue
- Proven functionality as with reusable forceps
- Variety of shapes, sizes, and lengths for a wide range of applications
- Standard connection for all common devices and adaptors

Bipolar forceps - models


Bipolar forceps - european flat plug (standard)

All single-use bipolar forceps are provided with european flat plug as standard.
european flat plug:




Upon request we also offer single-use bipolar forceps with US 2-Pin-Plug. Please contact us.

US 2-Pin-Plug:



Bipolar forceps - a classic model with stainless steel tip

Bipolar forceps for single use in premium quality:
Stainless steel tip with mirror finish, soft-closing, no crossover, always tip against tip, standardised tip distance, non-slip grip corrugation tips from 0.3 mm to 2.0 mm, straight and angled.
(Bipolar forceps with stainless steel tip are our standard forceps. on the following pages you will find the corresponding article number).



Bipolar forceps - models

Bipolar forceps - with silver tip


All single-use bipolar forceps are also available with a tip of pure silver.
The silver malt enhances the non-stick effect and transfers heat immediately.
(Feel free to contact us).



Single-use bipolar forceps - the high-quality economical solution

Bipolar forceps - with integrated cable

All single-use bipolar forceps are available with integrated cable in lengths of 3, 4, or 5 meters and with international 2-Pin-Plug. Upon request plugs from any other well-known manufacturer available. Please ask for the minimum order quantity. (Feel free to contact us).



Bipolar forceps - special model EcoCeps XTreme

For sensitive back coupling through optimum view, with special Soft-Closing and perfect grip for longer procedures.



Single-use bipolar forceps - Special sizes

Single-use bipolar forceps - special sizes

Jeweler #7, angled



Item No.	ø Tip	Length	SU*
10-008-02S	0.25 mm	117 mm	10 pcs.
10-008-03S	0.3 mm	117 mm	10 pcs.
10-008-05S	0.5 mm	117 mm	10 pcs.
10-008-07S	0.7 mm	117 mm	10 pcs.
10-008-010S	1.0 mm	117 mm	10 pcs.

*: sterile, packed individually SU without cable, only forceps

McPherson, angled



Item No.	ø Tip	Length	SU*
10-002-02S	0.25 mm	100 mm	10 pcs.
10-002-03S	0.3 mm	100 mm	10 pcs.
10-002-05S	0.5 mm	100 mm	10 pcs.
10-002-07S	0.7 mm	100 mm	10 pcs.
10-002-010S	1.0 mm	100 mm	10 pcs.

*: sterile, packed individually SU without cable, only forceps

McPherson, straight



Item No.	ø Tip	Length	SU*
10-001-02S	0.25 mm	100 mm	10 pcs.
10-001-03S	0.3 mm	100 mm	10 pcs.
10-001-05S	0.5 mm	100 mm	10 pcs.
10-001-07S	0.7 mm	100 mm	10 pcs.
10-001-010S	1.0 mm	100 mm	10 pcs.

Single-use bipolar forceps - straight and angled

single-use bipolar forceps, straight



Item No.	ø Tip	Length	SU*
10-014-03S	0.3 mm	140 mm	10 pcs.
10-014-05S	0.5 mm	140 mm	10 pcs.
10-014-07S	0.7 mm	140 mm	10 pcs.
10-014-10S	1.0 mm	140 mm	10 pcs.
10-014-15S	1.5 mm	140 mm	10 pcs.
10-014-20S	2.0 mm	140 mm	10 pcs.

Item No.	ø Tip	Length	SU*
10-016-03S	0.3 mm	160 mm	10 pcs.
10-016-05S	0.5 mm	160 mm	10 pcs.
10-016-07S	0.7 mm	160 mm	10 pcs.
10-016-10S	1.0 mm	160 mm	10 pcs.
10-016-15S	1.5 mm	160 mm	10 pcs.
10-016-20S	2.0 mm	160 mm	10 pcs.

Item No.	ø Tip	Length	SU*
10-018-03S	0.3 mm	180 mm	10 pcs.
10-018-05S	0.5 mm	180 mm	10 pcs.
10-018-07S	0.7 mm	180 mm	10 pcs.
10-018-10S	1.0 mm	180 mm	10 pcs.
10-018-15S	1.5 mm	180 mm	10 pcs.
10-018-20S	2.0 mm	180 mm	10 pcs.

Item No.	ø Tip	Length	SU*
10-020-03S	0.3 mm	200 mm	10 pcs.
10-020-05S	0.5 mm	200 mm	10 pcs.
10-020-07S	0.7 mm	200 mm	10 pcs.
10-020-10S	1.0 mm	200 mm	10 pcs.
10-020-15S	1.5 mm	200 mm	10 pcs.
10-020-20S	2.0 mm	200 mm	10 pcs.

Item No.	ø Tip	Length	SU*
10-022-03S	0.3 mm	220 mm	10 pcs.
10-022-05S	0.5 mm	220 mm	10 pcs.
10-022-07S	0.7 mm	220 mm	10 pcs.
10-022-10S	1.0 mm	220 mm	10 pcs.
10-022-15S	1.5 mm	220 mm	10 pcs.
10-022-20S	2.0 mm	220 mm	10 pcs.

Item No.	ø Tip	Length	SU*
10-023-03S	0.3 mm	240 mm	10 pcs.
10-023-05S	0.5 mm	240 mm	10 pcs.
10-023-07S	0.7 mm	240 mm	10 pcs.
10-023-10S	1.0 mm	240 mm	10 pcs.
10-023-15S	1.5 mm	240 mm	10 pcs.
10-023-20S	2.0 mm	240 mm	10 pcs.

*: sterile, packed individually SU without cable, only forceps

single-use bipolar forceps, angled



Item No.	ø Tip	Length	SU*
10-024-03S	0.3 mm	140 mm	10 pcs.
10-024-05S	0.5 mm	140 mm	10 pcs.
10-024-07S	0.7 mm	140 mm	10 pcs.
10-024-10S	1.0 mm	140 mm	10 pcs.
10-024-15S	1.5 mm	140 mm	10 pcs.
10-024-20S	2.0 mm	140 mm	10 pcs.

Item No.	ø Tip	Length	SU*
10-026-03S	0.3 mm	160 mm	10 pcs.
10-026-05S	0.5 mm	160 mm	10 pcs.
10-026-07S	0.7 mm	160 mm	10 pcs.
10-026-10S	1.0 mm	160 mm	10 pcs.
10-026-15S	1.5 mm	160 mm	10 pcs.
10-026-20S	2.0 mm	160 mm	10 pcs.

Item No.	ø Tip	Length	SU*
10-028-03S	0.3 mm	180 mm	10 pcs.
10-028-05S	0.5 mm	180 mm	10 pcs.
10-028-07S	0.7 mm	180 mm	10 pcs.
10-028-10S	1.0 mm	180 mm	10 pcs.
10-028-15S	1.5 mm	180 mm	10 pcs.
10-028-20S	2.0 mm	180 mm	10 pcs.

Item No.	ø Tip	Length	SU*
10-030-03S	0.3 mm	200 mm	10 pcs.
10-030-05S	0.5 mm	200 mm	10 pcs.
10-030-07S	0.7 mm	200 mm	10 pcs.
10-030-10S	1.0 mm	200 mm	10 pcs.
10-030-15S	1.5 mm	200 mm	10 pcs.
10-030-20S	2.0 mm	200 mm	10 pcs.

Item No.	ø Tip	Length	SU*
10-032-03S	0.3 mm	220 mm	10 pcs.
10-032-05S	0.5 mm	220 mm	10 pcs.
10-032-07S	0.7 mm	220 mm	10 pcs.
10-032-10S	1.0 mm	220 mm	10 pcs.
10-032-15S	1.5 mm	220 mm	10 pcs.
10-032-20S	2.0 mm	220 mm	10 pcs.

Item No.	ø Tip	Length	SU*
10-033-03S	0.3 mm	240 mm	10 pcs.
10-033-05S	0.5 mm	240 mm	10 pcs.
10-033-07S	0.7 mm	240 mm	10 pcs.
10-033-10S	1.0 mm	240 mm	10 pcs.
10-033-15S	1.5 mm	240 mm	10 pcs.
10-033-20S	2.0 mm	240 mm	10 pcs.


*: sterile, packed individually SU without cable, only forceps



Single-use bipolar forceps - Bayonet

single-use bipolar forceps,
bayonet, straight tip

single-use bipolar forceps,
bayonet, angled down tip



Item No.	ø Tip	Length	SU*
10-034-03S	0.3 mm	140 mm	10 pcs.
10-034-05S	0.5 mm	140 mm	10 pcs.
10-034-07S	0.7 mm	140 mm	10 pcs.
10-034-10S	1.0 mm	140 mm	10 pcs.
10-034-15S	1.5 mm	140 mm	10 pcs.
10-034-20S	2.0 mm	140 mm	10 pcs.

Item No.	ø Tip	Length	SU*
10-036-03S	0.3 mm	160 mm	10 pcs.
10-036-05S	0.5 mm	160 mm	10 pcs.
10-036-07S	0.7 mm	160 mm	10 pcs.
10-036-10S	1.0 mm	160 mm	10 pcs.
10-036-15S	1.5 mm	160 mm	10 pcs.
10-036-20S	2.0 mm	160 mm	10 pcs.

Item No.	ø Tip	Length	SU*
10-038-03S	0.3 mm	180 mm	10 pcs.
10-038-05S	0.5 mm	180 mm	10 pcs.
10-038-07S	0.7 mm	180 mm	10 pcs.
10-038-10S	1.0 mm	180 mm	10 pcs.
10-038-15S	1.5 mm	180 mm	10 pcs.
10-038-20S	2.0 mm	180 mm	10 pcs.

Item No.	ø Tip	Length	SU*
10-040-03S	0.3 mm	200 mm	10 pcs.
10-040-05S	0.5 mm	200 mm	10 pcs.
10-040-07S	0.7 mm	200 mm	10 pcs.
10-040-10S	1.0 mm	200 mm	10 pcs.
10-040-15S	1.5 mm	200 mm	10 pcs.
10-040-20S	2.0 mm	200 mm	10 pcs.

Item No.	ø Tip	Length	SU*
10-042-03S	0.3 mm	220 mm	10 pcs.
10-042-05S	0.5 mm	220 mm	10 pcs.
10-042-07S	0.7 mm	220 mm	10 pcs.
10-042-10S	1.0 mm	220 mm	10 pcs.
10-042-15S	1.5 mm	220 mm	10 pcs.
10-042-20S	2.0 mm	220 mm	10 pcs.

Item No.	ø Tip	Length	SU*
10-043-03S	0.3 mm	240 mm	10 pcs.
10-043-05S	0.5 mm	240 mm	10 pcs.
10-043-07S	0.7 mm	240 mm	10 pcs.
10-043-10S	1.0 mm	240 mm	10 pcs.
10-043-15S	1.5 mm	240 mm	10 pcs.
10-043-20S	2.0 mm	240 mm	10 pcs.

*: sterile, packed individually SU without cable, only forceps



Item No.	ø Tip	Length	SU*
10-054-03S	0.3 mm	140 mm	10 pcs.
10-054-05S	0.5 mm	140 mm	10 pcs.
10-054-07S	0.7 mm	140 mm	10 pcs.
10-054-10S	1.0 mm	140 mm	10 pcs.
10-054-15S	1.5 mm	140 mm	10 pcs.
10-054-20S	2.0 mm	140 mm	10 pcs.

Item No.	ø Tip	Length	SU*
10-056-03S	0.3 mm	160 mm	10 pcs.
10-056-05S	0.5 mm	160 mm	10 pcs.
10-056-07S	0.7 mm	160 mm	10 pcs.
10-056-10S	1.0 mm	160 mm	10 pcs.
10-056-15S	1.5 mm	160 mm	10 pcs.
10-056-20S	2.0 mm	160 mm	10 pcs.

Item No.	ø Tip	Length	SU*
10-058-03S	0.3 mm	180 mm	10 pcs.
10-058-05S	0.5 mm	180 mm	10 pcs.
10-058-07S	0.7 mm	180 mm	10 pcs.
10-058-10S	1.0 mm	180 mm	10 pcs.
10-058-15S	1.5 mm	180 mm	10 pcs.
10-058-20S	2.0 mm	180 mm	10 pcs.

Item No.	ø Tip	Length	SU*
10-060-03S	0.3 mm	200 mm	10 pcs.
10-060-05S	0.5 mm	200 mm	10 pcs.
10-060-07S	0.7 mm	200 mm	10 pcs.
10-060-10S	1.0 mm	200 mm	10 pcs.
10-060-15S	1.5 mm	200 mm	10 pcs.
10-060-20S	2.0 mm	200 mm	10 pcs.

Item No.	ø Tip	Length	SU*
10-062-03S	0.3 mm	220 mm	10 pcs.
10-062-05S	0.5 mm	220 mm	10 pcs.
10-062-07S	0.7 mm	220 mm	10 pcs.
10-062-10S	1.0 mm	220 mm	10 pcs.
10-062-15S	1.5 mm	220 mm	10 pcs.
10-062-20S	2.0 mm	220 mm	10 pcs.

Item No.	ø Tip	Length	SU*
10-063-03S	0.3 mm	240 mm	10 pcs.
10-063-05S	0.5 mm	240 mm	10 pcs.
10-063-07S	0.7 mm	240 mm	10 pcs.
10-063-10S	1.0 mm	240 mm	10 pcs.
10-063-15S	1.5 mm	240 mm	10 pcs.
10-063-20S	2.0 mm	240 mm	10 pcs.

*: sterile, packed individually SU without cable, only forceps

Single-use bipolar forceps - Bayonet and special sizes

single-use bipolar forceps,
bayonet, angled up tip



Item No.	ø Tip	Length	SU*
10-044-03S	0.3 mm	140 mm	10 pcs.
10-044-05S	0.5 mm	140 mm	10 pcs.
10-044-07S	0.7 mm	140 mm	10 pcs.
10-044-10S	1.0 mm	140 mm	10 pcs.
10-044-15S	1.5 mm	140 mm	10 pcs.
10-044-20S	2.0 mm	140 mm	10 pcs.

Item No.	ø Tip	Length	SU*
10-046-03S	0.3 mm	160 mm	10 pcs.
10-046-05S	0.5 mm	160 mm	10 pcs.
10-046-07S	0.7 mm	160 mm	10 pcs.
10-046-10S	1.0 mm	160 mm	10 pcs.
10-046-15S	1.5 mm	160 mm	10 pcs.
10-046-20S	2.0 mm	160 mm	10 pcs.

Item No.	ø Tip	Length	SU*
10-048-03S	0.3 mm	180 mm	10 pcs.
10-048-05S	0.5 mm	180 mm	10 pcs.
10-048-07S	0.7 mm	180 mm	10 pcs.
10-048-10S	1.0 mm	180 mm	10 pcs.
10-048-15S	1.5 mm	180 mm	10 pcs.
10-048-20S	2.0 mm	180 mm	10 pcs.

Item No.	ø Tip	Length	SU*
10-050-03S	0.3 mm	200 mm	10 pcs.
10-050-05S	0.5 mm	200 mm	10 pcs.
10-050-07S	0.7 mm	200 mm	10 pcs.
10-050-10S	1.0 mm	200 mm	10 pcs.
10-050-15S	1.5 mm	200 mm	10 pcs.
10-050-20S	2.0 mm	200 mm	10 pcs.


Item No.	ø Tip	Length	SU*
10-052-03S	0.3 mm	220 mm	10 pcs.
10-052-05S	0.5 mm	220 mm	10 pcs.
10-052-07S	0.7 mm	220 mm	10 pcs.
10-052-10S	1.0 mm	220 mm	10 pcs.
10-052-15S	1.5 mm	220 mm	10 pcs.
10-052-20S	2.0 mm	220 mm	10 pcs.

Item No.	ø Tip	Length	SU*
10-054-03S	0.3 mm	240 mm	10 pcs.
10-054-05S	0.5 mm	240 mm	10 pcs.
10-054-07S	0.7 mm	240 mm	10 pcs.
10-054-10S	1.0 mm	240 mm	10 pcs.
10-054-15S	1.5 mm	240 mm	10 pcs.
10-054-20S	2.0 mm	240 mm	10 pcs.

*: sterile, packed individually SU without cable, only forceps

single-use bipolar forceps,
special sizes

Adson



Item No.	ø Tip	Length	SU*
10-006-03S	0.3 mm	120 mm	10 pcs.
10-006-05S	0.5 mm	120 mm	10 pcs.
10-006-07S	0.7 mm	120 mm	10 pcs.
10-006-10S	1.0 mm	120 mm	10 pcs.
10-006-12S	1.2 mm	120 mm	10 pcs.

Item No.	ø Tip	Length	SU*
10-013-03S	0.3 mm	150 mm	10 pcs.
10-013-05S	0.5 mm	150 mm	10 pcs.
10-013-07S	0.7 mm	150 mm	10 pcs.
10-013-10S	1.0 mm	150 mm	10 pcs.
10-013-12S	1.2 mm	150 mm	10 pcs.


*: sterile, packed individually SU without cable, only forceps

Jeweler #5, straight



Item No.	ø Tip	Length	SU*
10-003-02S	0.25 mm	117 mm	10 pcs.
10-003-03S	0.3 mm	117 mm	10 pcs.
10-003-05S	0.5 mm	117 mm	10 pcs.
10-003-07S	0.7 mm	117 mm	10 pcs.
10-003-10S	1.0 mm	117 mm	10 pcs.

Jeweler #5, angled



Item No.	ø Tip	Length	SU*
10-004-02S	0.25 mm	117 mm	10 pcs.
10-004-03S	0.3 mm	117 mm	10 pcs.
10-004-05S	0.5 mm	117 mm	10 pcs.
10-004-07S	0.7 mm	117 mm	10 pcs.
10-004-10S	1.0 mm	117 mm	10 pcs.

*: sterile, packed individually SU without cable, only forceps

Single-use bipolar forceps - special models, ideal for long-lasting and precise work

Single-use bipolar forceps, straight

Single-use bipolar forceps, angled



Item No.	ø Tip	Length	SU*
11-014-03S	0.3 mm	140 mm	10 pcs.
11-014-05S	0.5 mm	140 mm	10 pcs.
11-014-07S	0.7 mm	140 mm	10 pcs.
11-014-10S	1.0 mm	140 mm	10 pcs.
11-014-15S	1.5 mm	140 mm	10 pcs.
11-014-20S	2.0 mm	140 mm	10 pcs.

Item No.	ø Tip	Length	SU*
11-016-03S	0.3 mm	160 mm	10 pcs.
11-016-05S	0.5 mm	160 mm	10 pcs.
11-016-07S	0.7 mm	160 mm	10 pcs.
11-016-10S	1.0 mm	160 mm	10 pcs.
11-016-15S	1.5 mm	160 mm	10 pcs.
11-016-20S	2.0 mm	160 mm	10 pcs.

Item No.	ø Tip	Length	SU*
11-018-03S	0.3 mm	180 mm	10 pcs.
11-018-05S	0.5 mm	180 mm	10 pcs.
11-018-07S	0.7 mm	180 mm	10 pcs.
11-018-10S	1.0 mm	180 mm	10 pcs.
11-018-15S	1.5 mm	180 mm	10 pcs.
11-018-20S	2.0 mm	180 mm	10 pcs.

Item No.	ø Tip	Length	SU*
11-020-03S	0.3 mm	200 mm	10 pcs.
11-020-05S	0.5 mm	200 mm	10 pcs.
11-020-07S	0.7 mm	200 mm	10 pcs.
11-020-10S	1.0 mm	200 mm	10 pcs.
11-020-15S	1.5 mm	200 mm	10 pcs.
11-020-20S	2.0 mm	200 mm	10 pcs.

Item No.	ø Tip	Length	SU*
11-022-03S	0.3 mm	220 mm	10 pcs.
11-022-05S	0.5 mm	220 mm	10 pcs.
11-022-07S	0.7 mm	220 mm	10 pcs.
11-022-10S	1.0 mm	220 mm	10 pcs.
11-022-15S	1.5 mm	220 mm	10 pcs.
11-022-20S	2.0 mm	220 mm	10 pcs.

Item No.	ø Tip	Length	SU*
11-023-03S	0.3 mm	240 mm	10 pcs.
11-023-05S	0.5 mm	240 mm	10 pcs.
11-023-07S	0.7 mm	240 mm	10 pcs.
11-023-10S	1.0 mm	240 mm	10 pcs.
11-023-15S	1.5 mm	240 mm	10 pcs.
11-023-20S	2.0 mm	240 mm	10 pcs.



Item No.	ø Tip	Length	SU*
11-024-03S	0.3 mm	140 mm	10 pcs.
11-024-05S	0.5 mm	140 mm	10 pcs.
11-024-07S	0.7 mm	140 mm	10 pcs.
11-024-10S	1.0 mm	140 mm	10 pcs.
11-024-15S	1.5 mm	140 mm	10 pcs.
11-024-20S	2.0 mm	140 mm	10 pcs.

Item No.	ø Tip	Length	SU*
11-026-03S	0.3 mm	160 mm	10 pcs.
11-026-05S	0.5 mm	160 mm	10 pcs.
11-026-07S	0.7 mm	160 mm	10 pcs.
11-026-10S	1.0 mm	160 mm	10 pcs.
11-026-15S	1.5 mm	160 mm	10 pcs.
11-026-20S	2.0 mm	160 mm	10 pcs.

Item No.	ø Tip	Length	SU*
11-028-03S	0.3 mm	180 mm	10 pcs.
11-028-05S	0.5 mm	180 mm	10 pcs.
11-028-07S	0.7 mm	180 mm	10 pcs.
11-028-10S	1.0 mm	180 mm	10 pcs.
11-028-15S	1.5 mm	180 mm	10 pcs.
11-028-20S	2.0 mm	180 mm	10 pcs.

Item No.	ø Tip	Length	SU*
11-030-03S	0.3 mm	200 mm	10 pcs.
11-030-05S	0.5 mm	200 mm	10 pcs.
11-030-07S	0.7 mm	200 mm	10 pcs.
11-030-10S	1.0 mm	200 mm	10 pcs.
11-030-15S	1.5 mm	200 mm	10 pcs.
11-030-20S	2.0 mm	200 mm	10 pcs.

Item No.	ø Tip	Length	SU*
11-032-03S	0.3 mm	220 mm	10 pcs.
11-032-05S	0.5 mm	220 mm	10 pcs.
11-032-07S	0.7 mm	220 mm	10 pcs.
11-032-10S	1.0 mm	220 mm	10 pcs.
11-032-15S	1.5 mm	220 mm	10 pcs.
11-032-20S	2.0 mm	220 mm	10 pcs.

Item No.	ø Tip	Length	SU*
11-033-03S	0.3 mm	240 mm	10 pcs.
11-033-05S	0.5 mm	240 mm	10 pcs.
11-033-07S	0.7 mm	240 mm	10 pcs.
11-033-10S	1.0 mm	240 mm	10 pcs.
11-033-15S	1.5 mm	240 mm	10 pcs.
11-033-20S	2.0 mm	240 mm	10 pcs.

*: sterile, packed individually SU without cable, only forceps

Single-use bipolar forceps - special models, ideal for long-lasting and precise work

Single-use bipolar forceps,
bayonet straight

Single-use bipolar forceps,
bayonet angled down tip

Item No.	ø Tip	Length	SU*
11-034-03S	0.3 mm	140 mm	10 pcs.
11-034-05S	0.5 mm	140 mm	10 pcs.
11-034-07S	0.7 mm	140 mm	10 pcs.
11-034-10S	1.0 mm	140 mm	10 pcs.
11-034-15S	1.5 mm	140 mm	10 pcs.
11-034-20S	2.0 mm	140 mm	10 pcs.

Item No.	ø Tip	Length	SU*
11-036-03S	0.3 mm	160 mm	10 pcs.
11-036-05S	0.5 mm	160 mm	10 pcs.
11-036-07S	0.7 mm	160 mm	10 pcs.
11-036-10S	1.0 mm	160 mm	10 pcs.
11-036-15S	1.5 mm	160 mm	10 pcs.
11-036-20S	2.0 mm	160 mm	10 pcs.

Item No.	ø Tip	Length	SU*
11-038-03S	0.3 mm	180 mm	10 pcs.
11-038-05S	0.5 mm	180 mm	10 pcs.
11-038-07S	0.7 mm	180 mm	10 pcs.
11-038-10S	1.0 mm	180 mm	10 pcs.
11-038-15S	1.5 mm	180 mm	10 pcs.
11-038-20S	2.0 mm	180 mm	10 pcs.

Item No.	ø Tip	Length	SU*
11-040-03S	0.3 mm	200 mm	10 pcs.
11-040-05S	0.5 mm	200 mm	10 pcs.
11-040-07S	0.7 mm	200 mm	10 pcs.
11-040-10S	1.0 mm	200 mm	10 pcs.
11-040-15S	1.5 mm	200 mm	10 pcs.
11-040-20S	2.0 mm	200 mm	10 pcs.

Item No.	ø Tip	Length	VE*
11-042-03S	0.3 mm	220 mm	10 pcs.
11-042-05S	0.5 mm	220 mm	10 pcs.
11-042-07S	0.7 mm	220 mm	10 pcs.
11-042-10S	1.0 mm	220 mm	10 pcs.
11-042-15S	1.5 mm	220 mm	10 pcs.
11-042-20S	2.0 mm	220 mm	10 pcs.

Item No.	ø Tip	Length	SU*
11-043-03S	0.3 mm	240 mm	10 pcs.
11-043-05S	0.5 mm	240 mm	10 pcs.
11-043-07S	0.7 mm	240 mm	10 pcs.
11-043-10S	1.0 mm	240 mm	10 pcs.
11-043-15S	1.5 mm	240 mm	10 pcs.
11-043-20S	2.0 mm	240 mm	10 pcs.

*: sterile, packed individually SU without cable, only forceps

Item No.	ø Tip	Length	SU*
11-054-03S	0.3 mm	140 mm	10 pcs.
11-054-05S	0.5 mm	140 mm	10 pcs.
11-054-07S	0.7 mm	140 mm	10 pcs.
11-054-10S	1.0 mm	140 mm	10 pcs.
11-054-15S	1.5 mm	140 mm	10 pcs.
11-054-20S	2.0 mm	140 mm	10 pcs.

Item No.	ø Tip	Length	SU*
11-056-03S	0.3 mm	160 mm	10 pcs.
11-056-05S	0.5 mm	160 mm	10 pcs.
11-056-07S	0.7 mm	160 mm	10 pcs.
11-056-10S	1.0 mm	160 mm	10 pcs.
11-056-15S	1.5 mm	160 mm	10 pcs.
11-056-20S	2.0 mm	160 mm	10 pcs.

Item No.	ø Tip	Length	SU*
11-058-03S	0.3 mm	180 mm	10 pcs.
11-058-05S	0.5 mm	180 mm	10 pcs.
11-058-07S	0.7 mm	180 mm	10 pcs.
11-058-10S	1.0 mm	180 mm	10 pcs.
11-058-15S	1.5 mm	180 mm	10 pcs.
11-058-20S	2.0 mm	180 mm	10 pcs.

Item No.	ø Tip	Length	SU*
11-060-03S	0.3 mm	200 mm	10 pcs.
11-060-05S	0.5 mm	200 mm	10 pcs.
11-060-07S	0.7 mm	200 mm	10 pcs.
11-060-10S	1.0 mm	200 mm	10 pcs.
11-060-15S	1.5 mm	200 mm	10 pcs.
11-060-20S	2.0 mm	200 mm	10 pcs.

Item No.	ø Tip	Length	SU*
11-062-03S	0.3 mm	220 mm	10 pcs.
11-062-05S	0.5 mm	220 mm	10 pcs.
11-062-07S	0.7 mm	220 mm	10 pcs.
11-062-10S	1.0 mm	220 mm	10 pcs.
11-062-15S	1.5 mm	220 mm	10 pcs.
11-062-20S	2.0 mm	220 mm	10 pcs.


Item No.	ø Tip	Length	SU*
11-063-03S	0.3 mm	240 mm	10 pcs.
11-063-05S	0.5 mm	240 mm	10 pcs.
11-063-07S	0.7 mm	240 mm	10 pcs.
11-063-10S	1.0 mm	240 mm	10 pcs.
11-063-15S	1.5 mm	240 mm	10 pcs.
11-063-20S	2.0 mm	240 mm	10 pcs.

*: sterile, packed individually SU without cable, only forceps

Single-use bipolar forceps - special models, ideal for long-lasting and precise work

Single-use bipolar forceps,
bayonet angled up tip

Single-use bipolar forceps,



Item No.	ø Tip	Length	SU*
11-044-03S	0.3 mm	140 mm	10 pcs.
11-044-05S	0.5 mm	140 mm	10 pcs.
11-044-07S	0.7 mm	140 mm	10 pcs.
11-044-10S	1.0 mm	140 mm	10 pcs.
11-044-15S	1.5 mm	140 mm	10 pcs.
11-044-20S	2.0 mm	140 mm	10 pcs.

Item No.	ø Tip	Length	SU*
11-046-03S	0.3 mm	160 mm	10 pcs.
11-046-05S	0.5 mm	160 mm	10 pcs.
11-046-07S	0.7 mm	160 mm	10 pcs.
11-046-10S	1.0 mm	160 mm	10 pcs.
11-046-15S	1.5 mm	160 mm	10 pcs.
11-046-20S	2.0 mm	160 mm	10 pcs.

Item No.	ø Tip	Length	SU*
11-048-03S	0.3 mm	180 mm	10 pcs.
11-048-05S	0.5 mm	180 mm	10 pcs.
11-048-07S	0.7 mm	180 mm	10 pcs.
11-048-10S	1.0 mm	180 mm	10 pcs.
11-048-15S	1.5 mm	180 mm	10 pcs.
11-048-20S	2.0 mm	180 mm	10 pcs.

Item No.	ø Tip	Length	SU*
11-050-03S	0.3 mm	200 mm	10 pcs.
11-050-05S	0.5 mm	200 mm	10 pcs.
11-050-07S	0.7 mm	200 mm	10 pcs.
11-050-10S	1.0 mm	200 mm	10 pcs.
11-050-15S	1.5 mm	200 mm	10 pcs.
11-050-20S	2.0 mm	200 mm	10 pcs.

Item No.	ø Tip	Length	SU*
11-052-03S	0.3 mm	220 mm	10 pcs.
11-052-05S	0.5 mm	220 mm	10 pcs.
11-052-07S	0.7 mm	220 mm	10 pcs.
11-052-10S	1.0 mm	220 mm	10 pcs.
11-052-15S	1.5 mm	220 mm	10 pcs.
11-052-20S	2.0 mm	220 mm	10 pcs.

Item No.	ø Tip	Length	SU*
11-054-03S	0.3 mm	240 mm	10 pcs.
11-054-05S	0.5 mm	240 mm	10 pcs.
11-054-07S	0.7 mm	240 mm	10 pcs.
11-054-10S	1.0 mm	240 mm	10 pcs.
11-054-15S	1.5 mm	240 mm	10 pcs.
11-054-20S	2.0 mm	240 mm	10 pcs.

*: sterile, packed individually SU without cable, only forceps



Item No.	ø Tip	Length	SU*
11-034-03S	0.3 mm	140 mm	10 pcs.
11-034-05S	0.5 mm	140 mm	10 pcs.
11-034-07S	0.7 mm	140 mm	10 pcs.
11-034-10S	1.0 mm	140 mm	10 pcs.
11-034-15S	1.5 mm	140 mm	10 pcs.
11-034-20S	2.0 mm	140 mm	10 pcs.

Item No.	ø Tip	Length	SU*
11-036-03S	0.3 mm	160 mm	10 pcs.
11-036-05S	0.5 mm	160 mm	10 pcs.
11-036-07S	0.7 mm	160 mm	10 pcs.
11-036-10S	1.0 mm	160 mm	10 pcs.
11-036-15S	1.5 mm	160 mm	10 pcs.
11-036-20S	2.0 mm	160 mm	10 pcs.

Item No.	ø Tip	Length	SU*
11-038-03S	0.3 mm	180 mm	10 pcs.
11-038-05S	0.5 mm	180 mm	10 pcs.
11-038-07S	0.7 mm	180 mm	10 pcs.
11-038-10S	1.0 mm	180 mm	10 pcs.
11-038-15S	1.5 mm	180 mm	10 pcs.
11-038-20S	2.0 mm	180 mm	10 pcs.

Item No.	ø Tip	Length	SU*
11-040-03S	0.3 mm	200 mm	10 pcs.
11-040-05S	0.5 mm	200 mm	10 pcs.
11-040-07S	0.7 mm	200 mm	10 pcs.
11-040-10S	1.0 mm	200 mm	10 pcs.
11-040-15S	1.5 mm	200 mm	10 pcs.
11-040-20S	2.0 mm	200 mm	10 pcs.

Item No.	ø Tip	Length	SU*
11-042-03S	0.3 mm	220 mm	10 pcs.
11-042-05S	0.5 mm	220 mm	10 pcs.
11-042-07S	0.7 mm	220 mm	10 pcs.
11-042-10S	1.0 mm	220 mm	10 pcs.
11-042-15S	1.5 mm	220 mm	10 pcs.
11-042-20S	2.0 mm	220 mm	10 pcs.

*: sterile, packed individually SU without cable, only forceps

Single-use bipolar forceps - special models, ideal for long-lasting and precise work

Single-use bipolar forceps,
bayonet angled down tip



Item No.	ø Tip	Length	SU*
12-054-03S	0.3 mm	140 mm	10 pcs.
12-054-05S	0.5 mm	140 mm	10 pcs.
12-054-07S	0.7 mm	140 mm	10 pcs.
12-054-10S	1.0 mm	140 mm	10 pcs.
12-054-15S	1.5 mm	140 mm	10 pcs.
12-054-20S	2.0 mm	140 mm	10 pcs.

Item No.	ø Tip	Length	SU*
12-056-03S	0.3 mm	160 mm	10 pcs.
12-056-05S	0.5 mm	160 mm	10 pcs.
12-056-07S	0.7 mm	160 mm	10 pcs.
12-056-10S	1.0 mm	160 mm	10 pcs.
12-056-15S	1.5 mm	160 mm	10 pcs.
12-056-20S	2.0 mm	160 mm	10 pcs.

Item No.	ø Tip	Length	SU*
12-058-03S	0.3 mm	180 mm	10 pcs.
12-058-05S	0.5 mm	180 mm	10 pcs.
12-058-07S	0.7 mm	180 mm	10 pcs.
12-058-10S	1.0 mm	180 mm	10 pcs.
12-058-15S	1.5 mm	180 mm	10 pcs.
12-058-20S	2.0 mm	180 mm	10 pcs.

Item No.	ø Tip	Length	SU*
12-060-03S	0.3 mm	200 mm	10 pcs.
12-060-05S	0.5 mm	200 mm	10 pcs.
12-060-07S	0.7 mm	200 mm	10 pcs.
12-060-10S	1.0 mm	200 mm	10 pcs.
12-060-15S	1.5 mm	200 mm	10 pcs.
12-060-20S	2.0 mm	200 mm	10 pcs.

Item No.	ø Tip	Length	SU*
12-062-03S	0.3 mm	220 mm	10 pcs.
12-062-05S	0.5 mm	220 mm	10 pcs.
12-062-07S	0.7 mm	220 mm	10 pcs.
12-062-10S	1.0 mm	220 mm	10 pcs.
12-062-15S	1.5 mm	220 mm	10 pcs.
12-062-20S	2.0 mm	220 mm	10 pcs.

*: sterile, packed individually SU without cable, only forceps

Single-use bipolar forceps,
bayonet angled up tip



Item No.	ø Tip	Length	SU*
12-044-03S	0.3 mm	140 mm	10 pcs.
12-044-05S	0.5 mm	140 mm	10 pcs.
12-044-07S	0.7 mm	140 mm	10 pcs.
12-044-10S	1.0 mm	140 mm	10 pcs.
12-044-15S	1.5 mm	140 mm	10 pcs.
12-044-20S	2.0 mm	140 mm	10 pcs.

Item No.	ø Tip	Length	SU*
12-046-03S	0.3 mm	160 mm	10 pcs.
12-046-05S	0.5 mm	160 mm	10 pcs.
12-046-07S	0.7 mm	160 mm	10 pcs.
12-046-10S	1.0 mm	160 mm	10 pcs.
12-046-15S	1.5 mm	160 mm	10 pcs.
12-046-20S	2.0 mm	160 mm	10 pcs.

Item No.	ø Tip	Length	SU*
12-048-03S	0.3 mm	180 mm	10 pcs.
12-048-05S	0.5 mm	180 mm	10 pcs.
12-048-07S	0.7 mm	180 mm	10 pcs.
12-048-10S	1.0 mm	180 mm	10 pcs.
12-048-15S	1.5 mm	180 mm	10 pcs.
12-048-20S	2.0 mm	180 mm	10 pcs.

Item No.	ø Tip	Length	SU*
12-050-03S	0.3 mm	200 mm	10 pcs.
12-050-05S	0.5 mm	200 mm	10 pcs.
12-050-07S	0.7 mm	200 mm	10 pcs.
12-050-10S	1.0 mm	200 mm	10 pcs.
12-050-15S	1.5 mm	200 mm	10 pcs.
12-050-20S	2.0 mm	200 mm	10 pcs.

Item No.	ø Tip	Length	SU*
12-052-03S	0.3 mm	220 mm	10 pcs.
12-052-05S	0.5 mm	220 mm	10 pcs.
12-052-07S	0.7 mm	220 mm	10 pcs.
12-052-10S	1.0 mm	220 mm	10 pcs.
12-052-15S	1.5 mm	220 mm	10 pcs.
12-052-20S	2.0 mm	220 mm	10 pcs.

*: sterile, packed individually SU without cable, only forceps

Single-use bipolar connecting cables

Accessories

Plug instrument side:



Flat plug angled



2-Pin-Plug angled with protecting cap

Plug device side:



ERBE ACC/ICC, ERBE T Series, ERBE VIO, Storz



Valleylab, Limidey, BOWA, Aesculap, EMC, Söring, Olympus, ERBE international



Martin, Integra, Aesculap, ACMI, Berchtold, Sutter BM780



U.S. Standard, Eschmann, Petas, Codman, Conmed, Olympus, Valleylab, ERBE VIO international

Item No.	Description	Cable length	SU
Flat plug			
RB-2525S	Erbe ICC/ACC	3 m	10 pcs.
RB-2507S	Valleylab*	3 m	10 pcs.
RB-2501S	Martin	3 m	10 pcs.
RB-2504S	US Standard**	3 m	10 pcs.
RB-2526S	Erbe ICC/ACC	4 m	10 pcs.
RB-2508S	Valleylab*	4 m	10 pcs.
RB-2502S	Martin	4 m	10 pcs.
RB-2505S	US Standard**	4 m	10 pcs.
RB-2527S	Erbe ICC/ACC	5 m	10 pcs.
RB-2509S	Valleylab*	5 m	10 pcs.
RB-2503S	Martin	5 m	10 pcs.
RB-2506S	US Standard**	5 m	10 pcs.
2-Pin-plug			
RB-2511S	Erbe ICC/ACC	3 m	10 pcs.
RB-2512S	Valleylab*	3 m	10 pcs.
RB-2513S	Martin	3 m	10 pcs.
RB-2514S	US Standard**	3 m	10 pcs.
RB-2515S	Erbe ICC/ACC	4 m	10 pcs.
RB-2516S	Valleylab*	4 m	10 pcs.
RB-2517S	Martin	4 m	10 pcs.
RB-2518S	US Standard**	4 m	10 pcs.
RB-2519S	Erbe ICC/ACC	5 m	10 pcs.
RB-2520S	Valleylab*	5 m	10 pcs.
RB-2521S	Martin	5 m	10 pcs.
RB-2522S	US Standard**	5 m	10 pcs.

** : Non-compliant with international standard IEC 60601-2-2:2010-01. Only connect to bipolar output of high-frequency generators.



RBmedikal

Electro Surgical Instruments

RB Medikal Instruments

Small Industrial State, Fateh Garh,
Near Umer Town, Sialkot-51310 PAKISTAN.

Tel: +92 52 3552898 / Fax: +92 52 3 576055
Email: rbmedikal@brain.net.pk / rbmedikal@gmail.com
URL: www.rbmedikal.com



Whatsapp



WeChat

0092-333-8619610